

原著

- Shirai S, Yasuda T, Kumagai H, Matsunobu H, Ichikawa D, Shibagaki Y, Yasuda Y, Matsuzaki K, Hirano K, Kawamura T, Suzuki Y, Maruyama S.
Prognostic factors of IgA nephropathy presenting with mild proteinuria at the time of diagnosis (a multicenter cohort study). *Clinical and experimental nephrology*, 2023;27(4) : 340-348.
- Kosugi T, Eriguchi M, Yoshida H, Uemura T, Tasaki H, Fukata F, Nishimoto M, Matsui M, Samejima K, Iseki K, Fujimoto S, Konta T, Moriyama T, Yamagata K, Ichiei N, Kasahara M, Shibagaki Y, Kondo M, Asahi K, Watanabe T, Tsuruya K.
Height loss is associated with decreased kidney function: The Japan Specific Health Checkups (J-SHC) study. *Geriatrics & Gerontology International*, 2023;23(4) : 282-288.
- Kotake H, Ogura Y, Yamada S, Inoue K, Watanabe S, Ichikawa D, Sugaya T, Ohata K, Natsuki Y, Hoshino S, Watanabe M, Kimura K, Shibagaki Y, Kamijo-Ikemori A.
Mechanism for exercise-mediated prevention against muscle wasting on extensor digitorum longus muscle in Spontaneously Diabetic Torii fatty rats. *Journal of Physiological Sciences*, 2023;73(1) : 5.
- Shimizu S, Niihata K, Nishiwaki H, Shibagaki Y, Yamamoto R, Nitta K, Tsukamoto T, Uchida S, Takeda A, Okada H, Narita I, Isaka Y, Kurita N; Japan Nephrotic Syndrome Cohort Study Group.
Initiation of renin-angiotensin system inhibitors and first complete remission in patients with primary nephrotic syndrome: a nationwide cohort study. *Clinical and experimental nephrology*, 2023;27(5) : 480-489.
- Murano H, Inoue S, Sato K, Sato M, Igarashi A, Fujimoto S, Iseki K, Moriyama T, Shibagaki Y, Kasahara M, Narita I, Yamagata K, Tsuruya K, Kondo M, Asahi K, Watanabe T, Konta T, Watanabe M.
The effect of lifestyle on the mortality associated with respiratory diseases in the general population. *Scientific Reports*, 2023;13(1) : 8272.
- Abe M, Hatta T, Imamura Y, Sakurada T, Kaname S.
Effectiveness and current status of multidisciplinary care for patients with chronic kidney disease in Japan: a nationwide multicenter cohort study. *Clinical and Experimental Nephrology*, 2023;27(6) : 528-541.
- Abe M, Hatta T, Imamura Y, Sakurada T, Kaname S.
Inpatient multidisciplinary care can prevent deterioration of renal function in patients with chronic kidney disease: a nationwide cohort study. *Frontiers in Endocrinology*, 2023;14 : 1180477.
- Ohata K, Sugaya T, Nguyen H-N, Hatanaka Y, Uno K, Tohma M, Oikawa T, Nagabukuro H, Kuniyeda

K, Kamijo-Ikemori A, Suzuki-Kemuriyama N, Nakae D, Noiri E, Miyajima K.

Urinary liver-type fatty acid binding protein is increased in the early stages of the disease with a risk of acute kidney injury induced by histone. *Nephrology*, 2023;28(6) : 345-355.

- Sakurada T, Koitabashi K, Murasawa M, Kohatsu K, Kojima S, Shibagaki Y.
Effects of one-hour discussion on the choice of dialysis modality at the outpatient clinic: A retrospective cohort study using propensity score matching. *Therapeutic Apheresis and Dialysis*, 2023;27(3) : 442-451.
- Nagai K, Harada T, Mase K, Iseki K, Moriyama T, Tsuruya K, Fujimoto S, Narita I, Konta T, Kondo M, Kasahara M, Shibagaki Y, Koichi A, Watanabe T, Yamagata K.
Weight Loss Improves Liver Dysfunction and Dipstick Proteinuria in Obesity: The Japan Specific Health Checkups Study. *JMA Journal*, 2023;6(3) : 312-320.
- Otaki Y, Watanabe T, Konta T, Watanabe M, Fujimoto S, Sato Y, Asahi K, Yamagata K, Tsuruya K, Narita I, Kasahara M, Shibagaki Y, Iseki K, Moriyama T, Kondo M, Watanabe T.
A body shape index and aortic disease-related mortality in Japanese general population. *Journal of Atherosclerosis and Thrombosis*, 2023;30(7) : 754-766.
- Miyauchi T, Nishiwaki H, Mizukami A, Yazawa M.
Hyponatremia and mortality in patients undergoing maintenance hemodialysis: systematic review and meta-analysis. *Seminars in Dialysis*, 2023;36(4) : 303-315.
- Makinouchi R, Koyama T, Machida S, Imai N.
Hypouricemia in the emergency department: A retrospective, single-center study. *Health science reports*, 2023;6(8) : e1467.
- Harada T, Nagai K, Mase K, Tsunoda R, Iseki K, Moriyama T, Tsuruya K, Fujimoto S, Narita I, Konta T, Kondo M, Kasahara M, Shibagaki Y, Asahi K, Watanabe T, Yamagata K.
Elevated crude mortality in obese chronic kidney disease patients with loss of exercise habit: a cohort study of the Japanese general population. *Internal Medicine*, 2023;62(15) : 2171-2179.
- Maruyama Y, Yokoyama K, Higuchi C, Sanaka T, Tanaka Y, Sakai K, Kanno Y, Ryuzaki M, Sakurada T, Hosoya T, Nakayama M, EARTH (Evaluation of the Adequacy of Renal replacement Therapy) study group.
Changes in erythropoiesis-stimulating agent responsiveness after transfer to combined therapy with peritoneal dialysis and hemodialysis for patients on peritoneal dialysis: A prospective multicenter study in Japan. *Therapeutic apheresis and dialysis : official peer-reviewed journal of the International Society*

for Apheresis, the Japanese Society for Apheresis, the Japanese Society for Dialysis Therapy, 2023;27(4) : 735-741.

- Terashita M, Selamat U, Midha S, Nadeem O, Laubach J, Rennke H-G, Murakami N.
Clinical outcomes of monoclonal gammopathy of renal significance without detectable clones. *Kidney international reports*, 2023;8(12) : 2765-2777.
- Kosugi T, Eriguchi M, Yoshida H, Tamaki H, Uemura T, Tasaki H, Furuyama R, Fukata F, Nishimoto M, Matsui M, Samejima K, Iseki K, Fujimoto S, Konta T, Moriyama T, Yamagata K, Narita I, Kasahara M, Shibagaki Y, Kondo M, Asahi K, Watanabe T, Tsuruya K.
Trace proteinuria detected via dipstick test is associated with kidney function decline and new-onset overt proteinuria: the Japan Specific Health Checkups (J-SHC) Study. *Clinical and experimental nephrology*, 2023;27(10) : 801-808.
- Abe M, Hatta T, Imamura Y, Sakurada T, Kaname S.
Examine the optimal multidisciplinary care teams for patients with chronic kidney disease from a nationwide cohort study. *Kidney Research and Clinical Practice*, 2023; : Online ahead of print.
- Shimizu M, Furuichi K, Toyama T, Yamanouchi M, Hoshino J, Kitajima S, Hara A, Iwata Y, Sakai N, Yuzawa Y, Kitamura H, Sato H, Shibagaki Y, Suzuki Y, Uesugi N, Ueda Y, Kohagura K, Samejima K, Tsuruya K, Nishi S, Nishino T, Makino H, Matsuo S, Ubara Y, Yokoyama H, Wada T, Research Group of Diabetic Nephropathy, the Ministry of Health, Labour and Welfare, and the Japan Agency for Medical Research and Development.
Polar vasculosis is associated with better kidney outcome in type 2 diabetes with biopsy-proven diabetic kidney disease: A multicenter cohort study. *Journal of diabetes investigation*, 2023;14(11) : 1268-1278.
- Tasaki H, Eriguchi M, Yoshida H, Uemura T, Fukata F, Nishimoto M, Kosugi T, Matsui M, Samejima K, Iseki K, Asahi K, Yamagata K, Konta T, Fujimoto S, Narita I, Kasahara M, Shibagaki Y, Moriyama T, Kondo M, Watanabe T, Tsuruya K.
Synergistic effect of proteinuria on dipstick hematuria-related decline in kidney function: The Japan Specific Health Checkups (J-SHC) Study. *Clinical and Experimental Nephrology*, 2023;27(12) : 990-1000.
- Ushimaru S, Shimizu S, Osako K, Shibagaki Y, Sakurada T.
Association between inpatient education program for patients with pre - dialysis chronic kidney disease and new - onset cardiovascular disease after initiating dialysis. *Clinical and experimental nephrology*, 2023;27(12) : 1042-1050.

- Ogata M, Osako K, Terashita M, Miyauchi T, Sakurai Y, Shinoda K, Sasaki H, Shibagaki Y, Yazawa M. Consequences of kidney donation by age in Japanese living kidney donors: a single - center study. *Clinical and experimental nephrology*, 2024; : Online ahead of print.
- Ogata M, Kato M, Miyauchi T, Murata-Hasegawa M, Sakurai Y, Shinoda K, Yamazaki H, Shibagaki Y, Yazawa M. De novo inflammatory bowel disease in kidney transplant recipients:a single-center case series study. *Inflammatory Intestinal Disease*, 2024;9(1) : 96-102.
- Ohata S, Sugaya T, Nhung N-H, Arai K, Hatanaka Y, Uno K, Tohma M, Uechi T, Sekiguchi K, Oikawa T, Nagabukuro H, Kuniyeda K, Kamijo-Ikemori A, Suzuki-Kemuriyama N, Nakae D, Noiri E, Miyajima K. Urinary liver-type fatty acid binding protein is a biomarker reflecting renal damage and the ameliorative effect of drugs at an early stage of histone-induced AKI. *Nephrology*, 2024;29(3) : 117-125.
- 櫻井絵里香, 志村隼, 佐藤賢治, 西間木都子, 田中明子, 小島茂樹, 井上莊一郎, 柴垣有吾, 櫻田勉. 在宅血液透析の中断および未実施理由の解析. *日本在宅血液透析学会誌*, 2023;3(1) : 25-30.

症例報告

- Akaike T, Ishizuka K, Tominaga N, Motohashi I. Scrub typhus: the clinical significance of the eschar. *BMJ Case Reports*, 2023;16(5) : e255404.
- Fujita Y, Fujishima R, Ueki K, Tsuchimoto A, Matsuda T, Kato M, Masutani K, Shinoda K, Yazawa M. Allograft adenovirus nephritis accompanied by Crohn's disease in a kidney transplant recipient: a novel case report. *CEN Case Report*, 2023;12(2) : 215-220.
- Kotake H, Matsuda T, Yazawa M. Opaque densities in the GI tract of a patient treated for hyperkalemia. *Kidney360*, 2023;4(6) : e861-e862.
- Ogata M, Sumi Hi, Shiizaki K, Tominaga N. Comment on one-year romosozumab treatment followed by one-year denosumab treatment for osteoporosis in patients on hemodialysis: an observational study. *Calcified tissue international*, 2023;113(2) : 254-255.
- Ogata M, Yazawa Mo, Terashita M, Osako K, Shirai S. Acute tubulointerstitial nephritis possibly caused by vedolizumab for ulcerative colitis in a kidney transplant recipient: A case report. *Clinical Nephrology*, 2023;100(2) : 88-94.

- Takano T, Kaburagi M, Morikubo S, Ichikawa D, Matsumoto K.
Ceftriaxone-related encephalopathy in a patient with end-stage renal disease and high ceftriaxone concentrations in cerebrospinal fluid and plasma: a case report. *Cureus*, 2023;15(10) : e46401.
- Ogata M, Tominaga N.
Giant simple kidney cyst resulting in leg edema by inferior vena cava compression. *Internal Medicine*, 2023;62(20) : 3091-3092.
- Kuwano K, Shimizu S, Fujita Y, Akatsu S, Shibagaki Y, Yazawa M.
Marked hyperkalemia due to inappropriate blood sample storage in two suspected cases of familial pseudohyperkalemia. *CEN case report*, 2023;12(4) : 397-401.
- Ogata M, Fujii H, Sumi H, Ushimaru S, Fujishima R, Tominaga N.
Renal anemia with a relatively normal renal function in vasculitis-induced acute tubulointerstitial damage. *Renal failure*, 2023;45(1) : 2173490.
- Kitano F, Marui Y, Sakurai K, Shibagaki Y, Sakurada T, Kojima S.
Use of the Superficialized Brachial Artery as Vascular Access for a Patient with Myasthenia Gravis with a Frequent Need for Plasmapheresis: A Case Report. *Internal medicine (Tokyo, Japan)*, 2024; : Online ahead of print.
- Sakurada T, Yoshida K, Morikubo S, Kojima S.
Resuming peritoneal dialysis after secondary embedding of the peritoneal dialysis catheter in the end-of-life period: A case report. *Peritoneal dialysis international : journal of the International Society for Peritoneal Dialysis*, 2024;44(1) : 70-72.
- Shirai K, Yazawa M, Yoshida K, Shibagaki Y.
Point-of-care ultrasound for the diagnosis of congestive kidney due to severe acidemia: a case report. *Cureus*, 2024;16(3) : e57096.
- 小山哲平, 小波津香織, 森久保悟, 小島茂樹, 櫻田勉. 約1年間の血液透析施行後, 自ら希望して腹膜透析へ完全移行し QOL が改善した一例. *腎と透析別冊腹膜透析 2023*, 2023;95 : 97-98.
- 薬師寺優希, 小島茂樹, 東山恵, 畠中真弓, 長谷川友香, 重水恒太, 関根千浩, 田中明子, 村澤昌, 小波津香織, 櫻田勉.
透析療法選択外来の患者満足度調査. *腎と透析別冊腹膜透析 2023*, 2023;95 : 111-112.

- ・ 小松純, 野田竜之介, 吉田圭佑, 櫻田勉, 丸井祐二, 小島茂樹.
同一部位頻回穿刺により表在化動脈からの出血を繰り返した一例. 腎と透析別冊アクセス 2023,
2023;95 : 349-350.